

## QUICK START GUIDE: RELATIONTYPES

Option	Definition	Example and Usage Notes
<b>IsCitedBy</b>	indicates that B includes A in a citation	Recommended for discovery.  <pre>&lt;relatedIdentifier relatedIdentifierType="DOI"relationType="IsCitedBy"&gt;10.4232/10.ASEAS-5.2-1 &lt;/relatedIdentifier&gt;</pre>
<b>Cites</b>	indicates that A includes B in a citation	Recommended for discovery.  <pre>&lt;relatedIdentifier relatedIdentifierType="ISBN" relationType="Cites"&gt;0761964312 &lt;/relatedIdentifier&gt;</pre>
<b>IsSupplementTo</b>	indicates that A is a supplement to B	Recommended for discovery.  <pre>&lt;relatedIdentifier relatedIdentifierType="URN" relationType="IsSupplementTo"&gt;urn:nbn:de:0168-ssoar-13172 &lt;/relatedIdentifier&gt;</pre>
<b>IsSupplementedBy</b>	indicates that B is a supplement to A	Recommended for discovery.  <pre>&lt;relatedIdentifier relatedIdentifierType="PMID" relationType="IsSupplementedBy"&gt;16911322/ &lt;/relatedIdentifier&gt;</pre>
<b>IsContinuedBy</b>	indicates A is continued by the work B	<pre>&lt;relatedIdentifier relatedIdentifierType="URN" relationType="IsContinuedBy"&gt;urn:nbn:de:bsz:21-opus-4967 &lt;/relatedIdentifier&gt;</pre>

Option	Definition	Example and Usage Notes
<b>Continues</b>	indicates A is a continuation of the work B	<pre>&lt;relatedIdentifier relatedIdentifierType="URN" relationType="Continues"&gt;urn:nbn:de:bsz:21-opus-4966 &lt;/relatedIdentifier&gt;</pre>
<b>HasMetadata</b>	indicates resource A has additional metadata B	<pre>&lt;relatedIdentifier relatedIdentifierType="DOI" relationType="HasMetadata" relatedMetadataScheme="DDI-L" schemeURI="http://www.ddialliance.org/Specification/DDI- Lifecycle/3.1/XMLSchema/instance.xsd"&gt;10.1234/567890&lt;/relatedIdentifier&gt;</pre>
<b>IsMetadataFor</b>	indicates additional metadata A for a resource B	<pre>&lt;relatedIdentifier relatedIdentifierType="DOI" relationType="IsMetadataFor" relatedMetadataScheme="DDI-L" schemeURI="http://www.ddialliance.org/Specification/DDI- Lifecycle/3.1/XMLSchema/instance.xsd"&gt;10.1234/567891&lt;/relatedIdentifier&gt;</pre>
<b>IsNewVersionOf</b>	indicates A is a new edition of B, where the new edition has been modified or updated	<pre>&lt;relatedIdentifier relatedIdentifierType="DOI" relationType="IsNewVersionOf"&gt;10.5438/0005&lt;/relatedIdentifier&gt;</pre> <p>Use for a version making previous version(s) obsolete.</p>
<b>IsPreviousVersionOf</b>	indicates A is a previous edition of B	<pre>&lt;relatedIdentifier relatedIdentifierType="DOI" relationType="IsPreviousVersionOf"&gt;10.5438/0007&lt;/relatedIdentifier&gt;</pre>
<b>IsPartOf</b>	indicates A is a portion of B; may be used for elements of a series	<p>Recommended for discovery.</p> <pre>&lt;relatedIdentifier relatedIdentifierType="ISBN" relationType="IsPartOf"&gt;0-486-27557-4&lt;/relatedIdentifier&gt;</pre>

Option	Definition	Example and Usage Notes
<b>HasPart</b>	indicates A includes the part B	Recommended for discovery.  <relatedIdentifier relatedIdentifierType="DOI" relationType="HasPart">10.1234/7894</relatedIdentifier>
<b>IsReferencedBy</b>	indicates A is used as a source of information by B	<relatedIdentifier relatedIdentifierType="URL" relationType="IsReferencedBy">http://www.testpubl.de</relatedIdentifier>
<b>References</b>	indicates B is used as a source of information for A	<relatedIdentifier relatedIdentifierType="URN" relationType="References">urn:nbn:de:bsz:21-opus-963</relatedIdentifier>
<b>IsDocumentedBy</b>	indicates B is documentation about/explaining A	<relatedIdentifier relatedIdentifierType="URL" relationType="IsDocumentedBy">http://tobias-lib.uni-tuebingen.de/volltexte/2000/96/ </relatedIdentifier>
<b>Documents</b>	indicates A is documentation about/B	<relatedIdentifier relatedIdentifierType="DOI" relationType="Documents">10.1234/7836</relatedIdentifier>
<b>IsCompiledBy</b>	indicates B is used to compile or create A	<relatedIdentifier relatedIdentifierType="URL" relationType="isCompiledBy">http://d-nb.info/gnd/4513749-3</relatedIdentifier>
<b>Compiles</b>	indicates B is the result of a compile or creation event using A	<relatedIdentifier relatedIdentifierType="URN" relationType="Compiles">urn:nbn:de:bsz:21-opus-963 </relatedIdentifier>
<b>IsVariantFormOf</b>	indicates A is a variant or different form of B, e.g. calculated or calibrated form or different packaging	<relatedIdentifier relatedIdentifierType="DOI" relationType="IsVariantFormOf">10.1234/8675 </relatedIdentifier>  Use for a different form of one thing.

Option	Definition	Example and Usage Notes
<b>IsOriginalFormOf</b>	indicates A is the original form of B	<pre>&lt;relatedIdentifier relatedIdentifierType="DOI" relationType="IsOriginalFormOf"&gt;10.1234/9035 &lt;/relatedIdentifier&gt;</pre>
<b>IsIdenticalTo</b>	indicates that A is identical to B, for use when there is a need to register two separate instances of the same resource	<pre>&lt;relatedIdentifier relatedIdentifierType="URL" relationType="IsIdenticalTo"&gt;http://oac.cdlib.org/findaid/ark:/13030/c8r78fzq &lt;/relatedIdentifier&gt;</pre> <p>IsIdenticalTo should be used for a resource that is the same as the registered resource but is saved on another location, maybe another institution.</p>
<b>IsReviewedBy</b>	indicates that A is reviewed by B	<pre>&lt;relatedIdentifier relatedIdentifierType="DOI" relationType="IsReviewedBy"&gt;10.5256/F1000RESEARCH.4288.R4745&lt;/relatedIdentifier&gt;</pre>
<b>Reviews</b>	indicates that A is a review of B	<pre>&lt;relatedIdentifier relatedIdentifierType="DOI" relationType="Reviews"&gt;10.12688/f1000research.4001.1 &lt;/relatedIdentifier&gt;</pre>
<b>IsDerivedFrom</b>	indicates B is a source upon which A is based	<pre>&lt;relatedIdentifier relatedIdentifierType="DOI" relationType="IsDerivedFrom"&gt;10.6078/M7DZ067C &lt;/relatedIdentifier&gt;</pre> <p>IsDerivedFrom should be used for a resource that is a derivative of an original resource. In this example, the dataset is derived from a larger dataset and data values have been manipulated from their original state.</p>
<b>IsSourceOf</b>	indicates A is a source upon which B is based	<pre>&lt;relatedIdentifier relatedIdentifierType="URL" relationType="IsSourceOf"&gt; <a href="http://opencontext.org/projects/81204AF8-127C-4686-E9B0-1202C3A47959">http://opencontext.org/projects/81204AF8-127C-4686-E9B0-1202C3A47959</a> &lt;/relatedIdentifier&gt;</pre> <p>IsSourceOf is the original resource from which a derivative resource was created. In this example, this is the original dataset without value manipulation, and the source of the derived dataset.</p>